


SIMOVER MASTERDRIVES Motion Control


Dimension drawings

Compact PLUS units


Compact PLUS units



Rectifier units




Rectifier units and rectifier/regenerative units



6SE7024-1EB85
6SE70...-EC85

Type	a mm (in)	b	f	h
6SE7024-1EB85	67.5 (2.66)	135 (5.31)	425 (16.73)	425 (16.73)
6SE70...-EC85	90 (3.54)	180 (7.07)	600 (23.62)	600 (23.62)

Rectifier units and rectifier/regenerative units



- ① Air inlet, e.g. up to the closed cabinet base or cable duct
- ② Air outlet up to a reflecting surface, e.g. ceiling or closed roof
- ③ Through-hole for M8 bolt
- ④ Through-hole for power connections:
 - M16 for 6SE7036-1EE85-0AA0, 6SE7034-2FE85-0AA0, 6SE7035-4FE85-0AA0, 6SE7034-2HE85-0AA0 and 6SE7035-4HE85-0AA0
 - M12 for all other units
- ⑤ Pre-fitted terminal for PE:
 - M16 for 6SE7036-1EE85-0AA0, 6SE7034-2FE85-0AA0, 6SE7035-4FE85-0AA0, 6SE7034-2HE85-0AA0 and 6SE7035-4HE85-0AA0
 - M12 for all other units
- ⑥ Lifting eye Ø 30 mm
- ⑦ Front cover (doors) and terminal cover, only with version IP20

6SE70 ..-.EE85